




LOCATION
Interiors & Fitouts




60x120cm | 60X60cm
GLAZED PORCELAIN TILES

Collection 2023





60x120cm
Wall Application



60x60cm
Floor Application

MAGNIFICENT SURFACES

Design your space that evokes beauty from every corner



ANTIQUE CARRARA
60x120cm

Glazed
Porcelain
Tiles


Polished



Random 5



Wall Application



Floor Application





60x120cm
ARBESCATO WHITE
Polished


60x60cm
ARBESCATO WHITE
Matt



ARBESCATO WHITE
60x120cm


Glazed
Porcelain
Tiles


Polished _____




Random 4



Wall Application 

Floor Application 

ARBESCATO WHITE
60x60cm



Matt _____

Random 8





60x120cm
AREZZO AUZL
Polished

60x120cm
CREMA MARFIL
WHITE
Polished

AREZZO AUZL
60x120cm



Glazed
Porcelain
Tiles

Polished

Random 3




CREMA MARFIL WHITE
60x120cm

Glazed
Porcelain
Tiles

Polished

Random 4



Easy to install



Chemical resistant



Easy to clean



Break resistance



Frost resistance




Resistance to abrasion

Wall Application



Floor Application





60x120cm
ARIZONA
Polished

60x60cm
ARIZONA
Matt




ARIZONA
60x120cm

Glazed
Porcelain
Tiles

Polished



Random 4



Wall Application



Floor Application



ARIZONA
60x60cm

Matt



Random 8





60x120cm
AROMA SEA
Polished

60x120cm
ONICE AVORIO
Polished

AROMA SEA
60x120cm



Glazed
Porcelain
Tiles

Polished

Random 2



ONICE AVORIO
60x120cm

Glazed
Porcelain
Tiles

Polished

Random 10



Easy to install



Chemical resistant



Easy to clean



Break resistance



Frost resistance



Resistance to abrasion

Wall Application



Floor Application





60x120cm
BIANCO STONE
Polished

60x60cm
BIANCO STONE
Matt



BIANCO STONE
60x120cm

Glazed
Porcelain
Tiles

Polished _____



Random 5



BIANCO STONE
60x60cm

Wall Application



Floor Application



Matt _____

Random 10





60x120cm
CALACUTTA
BIANCO
Polished



60x60cm
CALACUTTA
BIANCO
Matt







CALACUTTA BIANCO
60x120cm

Glazed
Porcelain
Tiles

Polished _____



Random 4



Wall Application




Floor Application



CALACUTTA BIANCO
60x60cm

Matt _____



Random 8






CARRARA WHITE
60x120cm

Glazed
Porcelain
Tiles

Polished ———



Random 4



Wall Application



Floor Application






60x120cm
CERA GREY
Polished



60x120cm
CERA BIANCO
Polished



CERA BIANCO
60x120cm



Glazed
Porcelain
Tiles

Polished

Random 1




CERA GREY
60x120cm

Glazed
Porcelain
Tiles

Polished

Random 3



Easy to install



Chemical resistant



Easy to clean



Break resistance



Frost resistance




Resistance to abrasion

Wall Application



Floor Application






CERA CREMA
60x120cm

Glazed
Porcelain
Tiles

Polished ———

Random 1



Wall Application



Floor Application







CLOUDY ONYX WHITE
60x120cm

Glazed
Porcelain
Tiles

Polished



Random 6



Wall Application



Floor Application





CREMA MARFIL
60x120cm

Glazed
Porcelain
Tiles

Polished ———

Random 5



Wall Application



Floor Application





60x120cm
DIAMOND GREY
Polished

60x120cm
GLOBAL MULTI
Polished


DIAMOND GREY
60x120cm



Glazed
Porcelain
Tiles

Polished

Random 5



Easy to install



Chemical resistant



Easy to clean



Break resistance



Frost resistance



Resistance to abrasion


GLOBAL MULTI
60x120cm

Glazed
Porcelain
Tiles

Polished




Random 5



Wall Application



Floor Application





60x120cm
FRIDO CREMA
Polished

60x60cm
FRIDO CREMA
Matt




FRIDO CREMA
60x120cm


Glazed
Porcelain
Tiles

Polished _____

Random 4



Wall Application 

Floor Application 

Matt _____

FRIDO CREMA
60x60cm



Random 8





HIMALIYA ONXY
60x120cm

Glazed
Porcelain
Tiles

Polished ———




Random 6



Wall Application



Floor Application





60x120cm
ICE ONYX
Polished



60x60cm
ICE ONYX
Matt





ICE ONYX
60x120cm

Glazed
Porcelain
Tiles

Polished _____



Random 4



Wall Application



Floor Application



ICE ONYX
60x60cm

Matt _____



Random 8




NATURAL BEIGE
60x120cm

Glazed
Porcelain
Tiles

Polished ———

Random 3



Wall Application




Floor Application





60x120cm
NATURAL PEARL
Polished



60x120cm
OCEAN WHITE
ONYX
Polished



NATURAL PEARL
60x120cm



Glazed
Porcelain
Tiles

Polished

Random 3



OCEAN WHITE ONYX
60x120cm

Glazed
Porcelain
Tiles

Polished

Random 5



Easy to install



Chemical resistant



Easy to clean



Break resistance



Frost resistance



Resistance to abrasion

Wall Application



Floor Application





ONIX CREMA
60x120cm

Glazed
Porcelain
Tiles

Polished —

Random 10



Wall Application



Floor Application





60x120cm
ONYX GREY
Polished

60x120cm
ROMANCE
STATUARIO
Polished


ONYX GREY
60x120cm



Glazed
Porcelain
Tiles

Polished

Random 4



ROMANCE STATUARIO
60x120cm



Glazed
Porcelain
Tiles

Polished

Random 3



Easy to install



Chemical resistant



Easy to clean



Break resistance



Frost resistance



Resistance to abrasion

Wall Application



Floor Application





60x120cm
ONYX GRIS
Polished



60x60cm
ONYX GRIS
Matt





ONYX GRIS
60x120cm

Glazed
Porcelain
Tiles

Polished _____



Random 4



Wall Application



Floor Application



ONYX GRIS
60x60cm



Matt _____

Random 8





60x120cm
ONYX PULS
Polished

60x60cm
ONYX PULS
Matt




ONYX PULS
60x120cm

Glazed
Porcelain
Tiles

Polished _____



Random 5




Wall Application



Floor Application



ONYX PULS
60x60cm



Matt _____

Random 10



60x120cm
PALLAZO GRIS
Polished

◀ SWIMMING POOL
◀ HYDROTHERAPY
◀ ROMAN BATH

60x60cm
PALLAZO GRIS
Matt





PALLAZO GRIS
60x120cm

Glazed
Porcelain
Tiles


Polished _____



Random 3



Wall Application 

Floor Application 

PALLAZO GRIS
60x60cm



Matt _____

Random 6






PIETRA SILVER
60x120cm

Glazed
Porcelain
Tiles

Polished ———

Random 5



Wall Application



Floor Application





60x120cm
SATUARIO
Polished

60x60cm
SATUARIO
Matt




SATUARIO
60x120cm


Glazed
Porcelain
Tiles


Polished




Random 5



Wall Application 

Floor Application 

SATUARIO
60x60cm



Matt

Random 10






SATUARIO VERSILAIA
60x120cm


Glazed
Porcelain
Tiles


Polished



Random 3



Wall Application 

Floor Application 






SPENDLE BIANCO
60x120cm

Glazed
Porcelain
Tiles

Polished ———




Random 3



Wall Application



Floor Application





**GENESIS
HOTEL & SPA**



60x120cm
SPIDER GRAY
Polished



60x120cm
STATURIO
SMOOTH
Polished



SPIDER GRAY
60x120cm



Glazed
Porcelain
Tiles

Polished

Random 5



STATURIO SMOOTH
60x120cm

Glazed
Porcelain
Tiles

Polished



Random 8



Easy to install



Chemical resistant



Easy to clean



Break resistance



Frost resistance



Resistance to abrasion

Wall Application



Floor Application





STATUARIO CAFE
60x120cm

Glazed
Porcelain
Tiles

Polished ———

Random 5



Wall Application



Floor Application






STATURIO ELITE
60x120cm

Glazed
Porcelain
Tiles

Polished



Random 8



Wall Application



Floor Application





60x120cm
SUPER WHITE
Polished

60x60cm
SUPER WHITE
Matt





SUPER WHITE
60x120cm

Glazed
Porcelain
Tiles

Polished _____

Random 1



Wall Application




Floor Application




SUPER WHITE
60x60cm

Matt _____



Random 1



60x120cm
VOLKAS WHITE
Polished

60x60cm
VOLKAS WHITE
Matt



VOLKAS WHITE
60x120cm


Glazed
Porcelain
Tiles


Polished _____



Random 3



Wall Application 

Floor Application 

MADONA GREY
60x60cm



Matt _____

Random 6





ZARA WHITE
60x120cm


Glazed
Porcelain
Tiles

Polished ———

Random 4



Wall Application



Floor Application



TECHNICAL SPECIFICATIONS 60X120CM

CHARACTERISTICS	STANDARD AS PER ISO-13006/EN 14411 GROUP BIA	MEAN VALUE OF POLISHED GVT	MEAN VALUE OF RUSTIC GVT	TEST METHOD
-----------------	----------------------------------------------	----------------------------	--------------------------	-------------

REGULATORY PROPERTIES

Deviation in length & width	± 0.5%	± 0.1%	± 0.1%	ISO-10545-2
Deviation in thickness	± 5.0%	± 4.0%	± 4.0%	ISO-10545-2
Straightness of sides	± 0.5%	± 0.1%	± 0.1%	ISO-10545-2
Rectangularity	± 0.5%	± 0.1%	± 0.1%	ISO-10545-2
Surface flatness	± 0.5%	± 0.2%	± 0.2%	ISO-10545-2
Colour difference	Unaltered	No Change	No Change	ISO-10545-16
Glossiness	As per mfg.	Min. 90%	Min. 4%	GLOSSOMETER

STRUCTURAL MECHANICAL PROPERTIES

Water Absorption	< 0.50%	< 0.05 %	< 0.05 %	ISO-10545-3
Apparent density	> 2.0 g/cc	> 2.10 g/cc	> 2.10 g/cc	DIN 51082

MASSIVE MECHANICAL PROPERTIES

Modulus rupture	Min 35 N/mm ²	Min 40 N/mm ²	Min 40 N/mm ²	ISO-10545-3
Breaking Strength	Min.1300 N	min.2000 N	Min.2000 N	ISO-10545-4
Impact resistance	As per mfg.	Min. 0.55	Min. 0.55	ISO-10545-5

SURFACE MECHANICAL PROPERTIES

Surface abrasion resistance	As per mfg.	Min Class 3	Min Class 4	ISO-10545-7
MOH's hardness	As per mfg.	Min 4	Min 5	EN 101

THERMOHYDROMETRIC PROPERTIES

Frost resistance	No Damage	No Damage	No Damage	ISO-10545-12
Thermal shock resistance	No Damage	No Damage	No Damage	ISO-10545-9
Moisture expansion	Nil	Nil	Nil	ISO-10545-10
Thermal expansion (CEO)	Max.9.0x10 ⁻⁶	Max.6.5x10 ⁻⁶	Max.6.5x10 ⁻⁶	ISO-10545-8
Crazing resistance	As per mfg.	Min 10 Cycle	Min 10 Cycle	ISO-10545-11

CHEMICAL PROPERTIES

Chemical resistance	No Damage	No Damage	No Damage	ISO-10545-13
Satin resistance	Resistance	Resistance	Resistance	ISO-10545-14

SAFETY PROPERTIES

Slip resistance	As per mfg.	> 0.40	> 0.40	ISO-10545-17
Fire resistance	As per mfg.	Fire Proof	Fire Proof	N.A.
Lead & Cadmium given off by glazed tiles	As per mfg.	Doesn't yield PB & CD	Doesn't yield PB & CD	ISO-10545-15

PACKING DETAILS

SR. NO.	PRODUCT	NOMINAL SIZE	THICKNESS	TILES PER BOX	COVERAGE AREA
1	GVT/PGVT	60X120cm	8.5 mm	2	1.44 Sq. Mtr.



LOCATION
Interiors & Fitouts

CONTACT US

Address: AB Centre 6th Floor BC-6 Office 10Al Barsha 1, DubaiUnited Arab Emirates

Phone: +971 58 857 8137

Email: info@thelocationinteriors.com

